

Mahindra MAHAVATOR

Challenges the toughest of soils!



* Terms and conditions apply

Mahindra Mahavator is a heavy series rotary tiller designed for excellent performance and durability in a range of tough conditions.


■

Mahindra Mahavator delivers superior performance in medium to heavy soils, in both wet and dry conditions. It deals well with tough crop residue, doing an excellent job of cutting and mixing of crop residue in crops such as sugarcane and cotton in a range of hard soils.

Key Features ■ ---

Robust and Sturdy Multispeed Gearbox

Ensures its longer life even when it works in hard soils.



Strong Mast

Absorbs vibrations, ensures smoother operations, and thereby contributes to breakdown free usage.



Right Geometry of Rotor Shaft and Mast

Helps to decrease the load on tractor, ensuring less revolutions per minute drop.



Mahindra BoroBlades™

Made from specially sourced Boron steel, these high durability blades ensure low maintenance.



Key Features ■

Double Cone Mechanical Seal

Prevents dust or dirt from entering, ensuring longer life of seals and bearings.



Superior Aesthetics

Excellent paint gloss retention & welding finish.



Technical Specifications ■

Sr no.	Parameter	1.6 m	1.8 m	2.1 m	2.3 m	2.5 m
1	Suitable Tractor (kW)	33-37	37-41	41-45	45-48	48-52
	(HP)	(45-50)	(50-55)	(55-60)	(60-65)	(65-70)
2	Working Width, plate in to in (mm)	1636	1889	2142	2304	2647
3	Total Width (mm)	1801	2054	2307	2505	2812
4	Tilling Width, blade out to out (mm)	1544	1797	2050	2249	2556
5	Total Length (mm)	951	951	951	1069	1020
6	Total Height (mm)	1149	1149	1149	1155	1149
7	Working Depth (mm)*	100 -140	100 -140	100 -140	100 -140	100 -140
8	Number of Blades	36	42	48	54	60
9	Blade Compatibility	L/C	L/C	L/C	L/C	L/C
10	Primary Gear Box	Multi Speed	Multi Speed	Multi Speed	Multi Speed	Multi Speed
11	Side Transmission	Gear Drive	Gear Drive	Gear Drive	Gear Drive	Gear Drive
12	Weight, without Propeller Shaft (kg)	438	480	506	570	610
13	Standard Speed Gears	17/21	17/21	17/21	17/21	17/21



Access to Spares



Attractive Finance Schemes



Access to Service



1 Year Warranty*

*from purchase

Mahindra & Mahindra Ltd., Farm Equipment Sector Farm
Division, AFS Headquarters, Mahindra Towers, 1st Floor,
Akurli Road, Kandivali (E), Mumbai- 400101, India

Call our Toll-Free Number:
1800-425-6576